		H
pplication No.	Applicant(s)	
0/820,458	VIMERCATI, DANIELE	
xaminer	Art Unit	
RONG PHAN	2827	
R REMAINS) CLOSED in this other appropriate communicat	application. If not included ion will be mailed in due cours	e. THIS ne initiative
nents have been received in the	nis national stage application fr	
d. Note the attached EXAMINE reason(s) why the oath or decker e submitted. 's Patent Drawing Review (PT mendment / Comment or in the (c)) should be written on the drawheader according to 37 CFR 1.12 of BIOLOGICAL MATERIA	aration is deficient. O-948) attached e Office action of wings in the front (not the back) 21(d). L must be submitted. Note the	of
5. ☐ Notice of Informa 6. ☐ Interview Summa Paper No./Mail I 7. ☑ Examiner's Amer 8. ☐ Examiner's State	al Patent Application (PTO-152 ary (PTO-413), Date ndment/Comment ment of Reasons for Allowance PAAWTOW TRONG PHAN	e <i>f</i>
	Notice of Information of BIOLOGICAL MATERIA R THE DEPOSIT OF BIOLOG PROMER Subminer Paper No./Mail I 7. ⊠ Examiner's State Paper No./Mail I 9. Examiner State Paper No./Mail I 9. Examiner	Notice of Informal Patent Application (PTO-152 6. ☐ Interview Summary (PTO-413), Paper No./Mail Date

Application/Control Number: 10/820,458

Art Unit: 2827

EXAMINER'S AMENDMENT

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Fig. 10, R1, R2 and R3 have been deleted.

All above changes have been made by the examiner in order to place the case in condition for allowance.

2.. Any inquiry concerning this communication or earlier communications from the examiner should be directed to TRONG PHAN whose telephone number is (571) 272-1794. The examiner can normally be reached on M-F (8:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, HOAI HO can be reached on (571)272-1777. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Application/Control Number: 10/820,458

Art Unit: 2827

Page 3

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TRONG PHAN V




Fig.8

